

CWC-80 BLEACHED OAK





CWC-35 LACEWOOD



CWC-108 FLAT CUT BRAZILIAN WALNUT



CWC-62 BROWN BIRCH



CWC-32 FLAT CUT AMERICAN WALNUT



CWC-76 BUTTERNUT




CWC-52 BLACK WALNUT



CWC-67 JATOBA



CWC-78 ZEBRAWOOD



CWC-42 BRAZILIAN ROSEWOOD



CWC-72 AMERICAN WALNUT



CWC-86 FLAT CUT RED BIRCH



CWC-118 ENHANCED RIFT BLACK WALNUT



CWC-33 BLEACHED QUARTERED ASH



CWC-103 BLEACHED WILLOW



CWC-110 ENHANCED RIFT BLEACHED OAK



CWC-112 ENHANCED QUARTERED GRAY BIRCH



CWC-115 ENHANCED QUARTERED MACASSAR EBONY



CWC-113 ENHANCED QUARTERED BLACK BIRCH



CWC-106 BLEACHED TIGER MAPLE



CWC-80 BLEACHED OAK



CWC-81 RIFT WHITE OAK




CWC-82 BLACK LOCUST



CWC-114 ENHANCED RIFT BLACK LOCUST



CWC-1023 EBONY OAK





CWC-111 ENHANCED QUARTERED SLIPPERY ELM



CWC-105 FLAT CUT CANADIAN WALNUT



CWC-36 BLEACHED WALNUT



CWC-117 ENHANCED QUARTERED ENGLISH WALNUT




CWC-104 FLAT CUT BLEACHED WALNUT



CWC-121 ENHANCED FLAT CUT AMERICAN LARCH



CWC-109 FLAT CUT ENGLISH WALNUT



CWC-57 COCOBOLO




CWC-119 ENHANCED RIFT TANZANIAN WENGE



CWC-120 ENHANCED FLAT CUT AMERICAN BLACK WALNUT



CWC-68 AFRICAN BLACKWOOD



CWC-83 CENTENNIAL WALNUT



CWC-63 MACASSAR



CWC-03 QUARTERED TEAK



CWC-53 EBONY



CWC-1034 SANTOS REDWOOD



CWC-120 ENHANCED FLAT CUT AMERICAN BLACK WALNUT

THE WOODS COLLECTION

- manufactured from pure high density wood pulp in an ISO 14001 certified facility.
- the pulp is made from FSC certified wood and paper backing consists of 79.9% post-consumer recycled newspapers and cardboard.
- WOODS can contribute to LEED MR credits 4.1 and 4.2 with a total recycled content 21.5%.
- WOODS surpasses Category V, Type II wallcovering requirements for commercial serviceability. This includes but is not limited to washability, scrub ability, abrasion resistance and stain resistance standards as outlined by ASTM F-793 Commercial Serviceability Standards.



CWC-104 FLAT CUT BLEACHED WALNUT

WOODS

TECHNICAL INFORMATION

 Width
 36" (91 cm)

 Contents
 100% cellulose

Recycled content 21.5% post-consumer recycled content by weight

Certified woodFSC certifiedRapidly renewable materialsCellulose

Pattern match Non-reverse hang, random match

Fire test Tested in accordance with CAN/ULC-S102

Additional product attributes Biodegradable

WARRANTY

Manufacturer guarantees that all products will perform in accordance with accepted industry standards when used under normal conditions and for the purpose intended for a period of one year from date of purchase

INSTALLATION

Applied as regular wallcoverings on any desired substrate using standard wall covering tools and paste and wraps easily around corners without cracking.



