

Mallee Desking Screen

DESKING SCREEN



Feature:

Lead Time: 4 weeks

Made In: USA

Price:

<p>DESCRIPTION/FEATURES</p>	<p>Designed to provide a “Sense of Place” within open plan settings. The MALLEE desking screen greatly enhances personal privacy, while reducing noise. Designed for universal use, MALLEE does not require any formal attachment to the user desk or worksurface. Instead, MALLEE simply rests upon these surfaces allowing for incredibly fast and convenient installation as well as user controlled space definition.</p> <p>Features + Benefits:</p> <ul style="list-style-type: none"> * highest quality P.E.T. - an ideal material for reducing ambient noise and sound within highly interactive environments. * toolless assembly * lightweight design does not require a mechanical connection worksurfaces * integrated accessories tray within the wood base design
------------------------------------	---

COLLECTION	Mallee
DESIGNED BY	Paul James
PRODUCT DIMENSIONS	48"w x 21"h 1220mm w x 534mm h 60"w x 21"h 1524mm w x 534mm h 72"w x 21"h 1829mm w x 534mm h 84"w x 21"h 2134mm w x 534mm h
FINISHES	* Highest quality P.E.T. - choose from 10 colors * Wood components - blonde or dark stain
OPTIONS	The Mallee Desking Screen is available in 20 felt color options and 2 wood base finishes. P.E.T. Colors - Bark (BR), Cadet (CT), Chambray (CH), Cobalt (CB), Ecru (EC), Fossil (FL), Frost (FT), Grass (GS), Greige (GR), Ivory (IY), Linen (LN), Malachite (MA), Mandarin (MN), Ochre (OE), Pewter (PW), Sky (SY), Slate (SL), Smoke (SE), Sunshine (SS), Tar (TR) Wood Base - Blonde (B), Dark (D)
SUITABLE FOR	Indoor only
LEADTIME	4 weeks
WARRANTY	5 years. See FAQ's for full warranty
ASSEMBLY	Ships knock down. Assembly required.
FIXING	N/A
ADDITIONAL INFO	For REVIT files, create an account / log in and go to the product DOWNLOADS tab
HOW TO SPECIFY	1. Size 2. P.E.T. Color 3. Wood Finish

CODES

FMALDS4821, FMALDS6021, FMALDS7221 or FMALDS8421.

Then add to the end of model number:

- Base finish
- P.E.T. Colour

Example: MALD4821BCT = a Mallee Desking Screen with a
Blonde wood base and Cadet panels

CARE INSTRUCTIONS

Vacuum regularly to remove dust.

For stains:

1. Blot excess spills from material quickly as possible. Wipe with a damp cloth.
2. If stain persists, a mild soapy water mixture and damp cloth can be used to rub the stain.
3. If stain still persists, use a polyester carpet shampoo cleaner mixed with water, a damp cloth and apply to the affected area (or as per manufacturer's instructions). Blot well after each application.

Infection Control:

If there is a need for infection control, bleach can be used in accordance with CDC Cleaning and Disinfection instructions. The solution ratio should be 5 tablespoons of bleach to 1 Gallon of water or 4 teaspoons of bleach per quart of water. Spray apply the solution as a mist and then wipe off the surface moisture to help spread the bleach solution

Always try these methods in an inconspicuous place on the product prior to trying on a visible area.

ENVIRONMENTAL INFORMATION	100% recyclable
----------------------------------	-----------------