

#### Mirang Floor Standing Screen FLOOR STANDING SCREEN



Feature: Lead Time: 4 weeks Made In: USA Price:

DESCRIPTION/FEATURES	MIRANG is designed to define personal and team spaces, while
	dramatically reducing distracting sounds and noises within
	creative environments. Through a combination of smart design
	and modern materials, MIRANG is a truly unique solution that
	ships flat and assembles quickly and easily without tools.
	Features + Benefits:
	* highest quality P.E.T an ideal material for reducing ambient
	noise and sound within highly interactive environments.
	* unique portable ââ,¬Å"fold and goââ,¬Â∙ design allowing
	users to quickly fold, flatten and store when not in use.
	* integrated posting shelf to support flip charts, FUNC maker
	surfaces and easel style poster boards, making it an ideal tool for
	sharing ideas and connecting teams.
	* accessory marker surface available. Lightweight and intuitive,
	MIRANG is designed to define and divide space, while
	encouraging team and group interaction.
	1



COLLECTION	Mirang
DESIGNED BY	Paul James
PRODUCT DIMENSIONS	42" x 72"h
FINISHES	* Highest quality P.E.T choose from 20 colors
	* Wood components - blonde or dark stain
OPTIONS	The Mirang Floor Standing Screen is available in 20 felt color
	options.
	P.E.T. Colors - Bark (BR), Cadet (CT), Chambray (CH), Cobalt
	(CB), Ecru (EC), Fossil (FL), Frost (FT), Grass (GS), Greige
	(GR), Ivory (IY), Linen (LN), Malachite (MA), Mandarin (MN),
	Ochre (OE), Pewter (PW), Sky (SY), Slate (SL), Smoke (SE),
	Sunshine (SS), Tar (TR)
SUITABLE FOR	Indoor only
LEADTIME	4 weeks
WARRANTY	5 years. See FAQ's for full warranty
ASSEMBLY	Ships knock down.
	Assembly required.
FIXING	N/A
ADDITIONAL INFO	For REVIT and CAD files, create an account / log in and go to the
	product DOWNLOADS tab
HOW TO SPECIFY	1. Size
	2. P.E.T. Color
	3. Wood Finish



CODES	MIRFS4259 or MIRFS4272.
	Then add to the end of model number:
	- Base finish
	- P.E.T. Color
	Example: MIRFS4272BCT = a Mirang Floor Standing Screen with
	a Blonde wood base and Cadet panels



#### **CARE INSTRUCTIONS**

Vacuum regularly to remove dust.

For stains:

1. Blot excess spills from material quickly as possible. Wipe with a damp cloth.

2. If stain persists, a mild soapy water mixture and damp cloth can be used to rub the stain.

3. If stain still persists, use a polyester carpet shampoo cleaner mixed with water, a damp cloth and apply to the affected area (or as per manufacturer's instructions). Blot well after each application.

Infection Control:

If there is a need for infection control, bleach can be used in accordance with CDC Cleaning and Disinfection instructions. The solution ratio should be 5 tablespoons of bleach to 1 Gallon of water or 4 teaspoons of bleach per quart of water. Spray apply the solution as a mist and then wipe off the surface moisture to help spread the bleach solution



Always try these methods in an inconspicuous place on th	e
product prior to trying on a visible area.	





ENVIRONMENTAL INFORMATION	100% recyclable
---------------------------	-----------------