

# ZINTRA TEXTURES INSTALL GUIDE

\*Design shown for reference only, same  
install instructions apply for all designs





[www.crownsurfacesolutions.com](http://www.crownsurfacesolutions.com)  
e: [info@crownsurfacesolutions.com](mailto:info@crownsurfacesolutions.com)  
p: 416.245.2900

# ZINTRA TEXTURES


## ASSEMBLY

1) . To maximize the effect of the Zintra Texture pop out each perforation as demonstrated below.



Back View

2) Using either double sided tape or liquid nails, line the external edges. If using double sided tape, keep it covered until final install.




Back View

### STEP 1 & 2

\*Design shown for reference only, same install instructions apply for all designs

## ZINTRA TEXTURES ASSEMBLY


3) Place additional liquid nail beads or double sided tape in-between perforations.



Back View

### STEP 3

4) Starting from the bottom, place the Zintra Texture up against the wall of choice and secure it by pushing firmly on the flat surface of the Zintra.




Note: Ensure it is level before securing to wall.  
Do not push against extruded perspirations.


### STEP 4

\*Design shown for reference only, same install instructions apply for all designs

**ZINTRA TEXTURES**  
PARTS



ZINTRA TEXTURE



RECOMENDED: 3MVHB DOUBLE SIDED TAPE  
(not supplied)