

DESK WRAP

ZINTRA ACCESSORIES



Texture: 1 Lustre: 1

Transparency: 1

DESCRIPTION / FEATURES	Carefully placed slice cuts allow Zintra to become flexible and wrap around the corners of a desk. When wrapped, the slice cuts
	reveal a defining pattern. Use Desk Wraps as a screen or
	modesty panel to add privacy and acoustic benefits. Available in Zintra's 20 neutral to vibrant colours.
	Find out more about the Benefits of Zintra and its NRC rating on the DOWNLOAD tab.
COMPOSITION	Zintra Acoustic Panel - 100% Polyester
LEAD TIME	4-6 weeks
FIRE	Zintra



FIRE RATING	In accordance with ASTM-E84, Zintra™ Acoustic 1/2" Panels
	achieve a Class A Flame Spread - passes CAN ULC S102-10.
ADDITIONAL COMMENTS	NRC - 0.95
	Only available from Zintra Acoustic Panel 12mm.
	Available with Digital Print but not with Zintra Patterns .
	Desk Wrap includes Clamshell Clamp Small (for Screen) or
	L-Brackets (for Modesty). See images on website for hardware
	detail.
CARE INSTRUCTIONS	Zintra
ENVIRONMENTAL INFORMATION	Zintra
FINISHES AVAILABLE	Zintra Panel - Matt. Available in all 20 colours.
STANDARD SIZE	Screen or Modesty.
	See images on website or contact Baresque for details.
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
CUSTOMISABLE	Size - Yes
	Colour - Yes
	Contact Crown Surface Solutions for details



THERMOFORMABLE	No
SUPPLIED AS	Accessory ready to install
FABRICATION	Stanley knife if required
CARE INSTRUCTIONS	Remove spills immediately using damp, clean cloth.
	Dab Zintra with a clean, soft white cloth dampened with a mild
	solution of liquid detergent and warm water. Repeat using only
	clean water, then pat dry with a lint free cloth.
	Avoid using wax polishes, solvents or concentrated abrasives.
	For more difficult stains, dampen a soft white cloth with a solution
	of household bleach (10% bleach / 90% water). Dab gently.

Repeat using only a clean, water dampened cloth to remove bleach concentration, then pat dry with a lint free cloth.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Crown Surface Solutions for assistance.



ENVIRONMENTAL INFORMATION Easily recycled through standard recycling channels
