

RISE

New Releases - Zintra Connect



Texture:

Lustre:

Transparency:

DESCRIPTION / FEATURES

Add sculptural on-trend geo-accents to your ceiling space with Zintra Acoustic Connect. An innovative solution to large areas requiring improved acoustics, Zintra Acoustic Connect's seamless interlocking system was designed with full ceiling coverage in mind and will create a ceiling space with architectural shape, form and definitive character.

Zintra Acoustic Connect Features:

- * Designed for complete and cost effective ceiling coverage with seamless interlocking systems

- * NRC of 0

- * Exposed ceiling above Connect makes the room feel bigger

- * Optimised for easy installation and customisation on site to fit exact room size

Find out more about the Benefits of Zintra and its NRC rating on the **DOWNLOAD** tab.

HOW TO SPECIFY	1. Zintra Colour 2. Design
COMPOSITION	Zintra Acoustic Panel - 100% Polyester
FINISHES AVAILABLE	Zintra Panel - Matt. Available in all 20 colours. _____
STANDARD SIZE	RISE LOW - 2770mm x 1220mm x 220mm RISE HIGH - 2770mm x 1220mm x 260mm
THICKNESS	Zintra - 12mm
WEIGHT	High Rise = 16kg per system Low Rise = 11kg per system
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
SUGGESTED INSTALLATION	<p>Check out the DOWNLOAD tab for a complete Handling and Installation guide.</p> <p>Connect components are supplied flat pack.</p> <p>Fix Adjustable Cable Kit to Ceiling.</p> <p>Assemble Connect on floor and hang by S-hooks.</p> <p>Adjust Cable Kit to complete Connect system.</p>
LEAD TIME	4-6 weeks.
CUSTOMISABLE	No. Designed for easy on site customisation.
THERMOFORMABLE	No
FIRE	Zintra
ADDITIONAL COMMENTS	<p>Zintra Acoustic Connect is designed for a full ceiling cover and is very easy to install and cut on site to fit your exact room size.</p> <p>Only available from Zintra Acoustic Panel 12mm.</p> <p>Connect includes Adjustable Cable Kits. See images on website for hardware detail.</p> <p>Longer cables, multi-colour and Digital Print available for an additional fee.</p>

SUPPLIED AS	<p>Flat pack.</p> <p>Connect pieces cut to design and size, Adjustable Cable Kits.</p> <p>No screws included.</p>
FABRICATION	Stanley knife if required
REFINISHABLE	No
FIRE RATING	<p>In accordance with ASTM-E84, Zintra™ Acoustic 1/2" Panels</p> <p>achieve a Class A Flame Spread - passes CAN ULC S102-10.</p>
CARE INSTRUCTIONS	Zintra
ENVIRONMENTAL INFORMATION	Easily recycled through standard recycling channels

CARE INSTRUCTIONS

Remove spills immediately using damp, clean cloth.

Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

Avoid using wax polishes, solvents or concentrated abrasives.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently.

Repeat using only a clean, water dampened cloth to remove bleach concentration, then pat dry with a lint free cloth.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Crown Surface Solutions for assistance.