

ZINTRA LAYERS

Zintra Layers



Texture: 1
 Lustre: 1
 Transparency: 1

DESCRIPTION / FEATURES

Zintra Layers brings a distinctive colour variation to the Zintra range by laying up different coloured strips of Zintra in the same thickness onto a Zintra Acoustic panel backer. Whether you're after subdued and subtle variation or a bright and contrasting explosion of colour, Zintra Layers is the ultimate aesthetic and acoustic solution. Zintra Layers features include:

- * Cost effective sound solution - NRC = 0.7
- * Broad range of neutral and bright colour
- * Suitable for multiple applications - walls, ceiling
- * Easily fabricated and installed
- * Pinnable

Find out more about the Benefits of Zintra and its NRC rating on the **DOWNLOAD** tab.

HOW TO SPECIFY	<p>1. Size</p> <p>2. Up to 3 colours (max) - The colour combination is random and not specifiable. All Zintra Layers are supplied on a Zintra Acoustic backer in Black.</p>
COMPOSITION	Zintra Acoustic Panel - 100% Polyester
FINISHES AVAILABLE	Zintra Panel - Matt. Available in all 20 Zintra colours. _____
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
SUGGESTED INSTALLATION	<p>Check out the DOWNLOAD tab for a complete Handling and Installation guide.</p> <p>Be sure to support the panel during installation to avoid bowing or creasing.</p> <p>Adhere to substrate using contact adhesive, Liquid Nails or Z clips.</p> <p>Panel can also be mechanically fixed using details similar to glass fittings.</p>
LEAD TIME	4-6 weeks.
CUSTOMISABLE	No
FIRE	Zintra
ADDITIONAL COMMENTS	<p>As Zintra Layers are hand-made, an exact pattern match from one panel to the next is not possible.</p> <p>Custom sizes available.</p>
FABRICATION	Stanley knife if required
REFINISHABLE	No
CARE INSTRUCTIONS	Zintra
ENVIRONMENTAL INFORMATION	Easily recycled through standard recycling channels
WEIGHT	4.6 kg/m ²
PATTERN REPEAT	N/A

FIRE RATING	In accordance with ASTM-E84, Zintra™ Acoustic 1/2" Panels achieve a Class A Flame Spread - passes CAN ULC S102-10.
SURFACE FINISH	Matt
SHEET SIZE	2745mm x 1220mm x 24mm Custom sizes also available
THERMOFORMABLE	No
SUPPLIED AS	Sheet ready to install

CARE INSTRUCTIONS

Remove spills immediately using damp, clean cloth.

Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

Avoid using wax polishes, solvents or concentrated abrasives.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently.

Repeat using only a clean, water dampened cloth to remove bleach concentration, then pat dry with a lint free cloth.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Crown Surface Solutions for assistance.