

ZINTRA LAYERS 3D

Zintra Layers



Texture: 3

Lustre: 1

Transparency: 1

DESCRIPTION / FEATURES

Zintra Layers 3D brings another distinctive variation to the Zintra range. By laying up the same colour of Zintra cut into strips of the same thickness, but of different heights, a distinctive shadow is created across the tile. Applied to a Zintra Acoustic panel backer, Zintra Layers 3D complements Zintra Layers as the ultimate aesthetic and acoustic solutions. Zintra Layers 3D features include:

- * Strips of different height
- * Cost effective sound solution - NRC = 0.7
- * Broad range of neutral and bright colour
- * Suitable for a multiple applications - walls, ceiling
- * Easily fabricated and installed
- * Pinna

Find out more about the Benefits of Zintra and its NRC rating on the **DOWNLOAD** tab.

HOW TO SPECIFY	<p>1. Size</p> <p>2. Colour - The height combination of the strips is random and not specifiable. All Zintra Layers 3D are supplied on a Zintra Acoustic backer in Black.</p>
COMPOSITION	Zintra Acoustic Panel - 100% Polyester
FINISHES AVAILABLE	Zintra Panel - Matt. Available in 20 colours. ---
INDOOR/OUTDOOR	Indoor only
WET AREAS	No
SUGGESTED INSTALLATION	<p>Check out the DOWNLOAD tab for a complete Handling and Installation guide.</p> <p>Be sure to support the panel during installation to avoid bowing or creasing.</p> <p>Adhere to substrate using contact adhesive, Liquid Nails or Z clips.</p> <p>Panel can also be mechanically fixed using details similar to glass fittings.</p>
LEAD TIME	4-6 weeks
CUSTOMISABLE	No
FIRE	Zintra
ADDITIONAL COMMENTS	<p>As Zintra Layers 3D are hand-made, an exact pattern match from one panel to the next is not possible.</p> <p>Custom sizes available.</p>
FABRICATION	Stanley knife if required
REFINISHABLE	No
CARE INSTRUCTIONS	Zintra
ENVIRONMENTAL INFORMATION	Easily recycled through standard recycling channels
WEIGHT	4.6 kg/m ²

FIRE RATING	In accordance with ASTM-E84, Zintra™ Acoustic 1/2" Panels achieve a Class A Flame Spread - passes CAN ULC S102-10.
SURFACE FINISH	Matt
SHEET SIZE	2745mm x 1220mm x 48mm Custom sizes also available
SUPPLIED AS	Sheet ready to install

CARE INSTRUCTIONS

Remove spills immediately using damp, clean cloth.

Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

Avoid using wax polishes, solvents or concentrated abrasives.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently.

Repeat using only a clean, water dampened cloth to remove bleach concentration, then pat dry with a lint free cloth.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Crown Surface Solutions for assistance.