

**SETRO**  
Zintra Patterns



Texture: 3  
Lustre: 1  
Transparency: 1

**DESCRIPTION / FEATURES**

The Zintra popular acoustic solution has undergone a style update to bring you Zintra Patterns. Experience our range of classic to contemporary screen designs cut out of Zintra. The perforated panel can be installed as is or matching / contrasting Zintra backer added to create a unique look for walls or ceilings. In just the one product you will find style, texture, contrast, depth and the added benefit of sound absorption to create a harmonious environment.

- \* Increased noise absorption
- \* Easy installation
- \* Broad range of neutral and bright colour

Find out more about the Benefits of Zintra and its NRC rating on the **DOWNLOAD** tab.

<b>HOW TO SPECIFY</b>	<ol style="list-style-type: none"> <li>1. Design</li> <li>2. Size</li> <li>3. Design Colour</li> <li>4. Backing Colour</li> </ol>
<b>COMPOSITION</b>	Zintra Acoustic Panel - 100% Polyester
<b>FINISHES AVAILABLE</b>	Zintra Panel - Matt. Available in all 20 Zintra colours. <a href="#">_____</a>
<b>SHEET SIZE</b>	<p>610mm x 610mm</p> <p>1220mm x 610mm</p> <p>2745mm x 1220mm</p> <p>Pattern only - 12mm</p> <p>Pattern later on backer - 24mm</p>
<b>INDOOR/OUTDOOR</b>	Indoor only
<b>WET AREAS</b>	No
<b>SUGGESTED INSTALLATION</b>	<p>Check out the <b>DOWNLOAD</b> tab for a complete Handling and Installation guide.</p> <p>Be sure to support the panel during installation to avoid bowing or creasing.</p> <p>Adhere to substrate using contact adhesive, Liquid Nails or Z clips.</p> <p>Panel can also be mechanically fixed using details similar to glass fittings.</p>

<b>LEAD TIME</b>	4-6 weeks.
<b>CUSTOMISABLE</b>	Design - Yes Colour - Yes Contact Crown Surface Solutions for details
<b>THERMOFORMABLE</b>	No
<b>FIRE</b>	Zintra
<b>ADDITIONAL COMMENTS</b>	Not suitable as a free standing product. NRC - 0.45 - 0.95
<b>FABRICATION</b>	Stanley knife if required
<b>REFINISHABLE</b>	No
<b>CARE INSTRUCTIONS</b>	Zintra
<b>ENVIRONMENTAL INFORMATION</b>	Easily recycled through standard recycling channels
<b>FIRE RATING</b>	In accordance with ASTM-E84, Zintra™ Acoustic 1/2" Panels achieve a Class A Flame Spread - passes CAN ULC S102-10.

<b>SUPPLIED AS</b>	Sheet ready to install
<b>CARE INSTRUCTIONS</b>	<p>Remove spills immediately using damp, clean cloth.</p> <p>Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.</p> <p>Avoid using wax polishes, solvents or concentrated abrasives.</p> <p>For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently.</p>

Repeat using only a clean, water dampened cloth to remove bleach concentration, then pat dry with a lint free cloth.

Always test in an inconspicuous area first. If care instructions don't deliver the expected results, cease cleaning method immediately and contact Crown Surface Solutions for assistance.