

## **SQUARE**

## Zintra Blades



Texture: 3 Lustre: 1

Transparency: 1

DESCRIPTION / FEATURES	These wall mounted systems showcase Zintra s™ flexible
	characteristics. Combining a dynamic aesthetic appeal and
	acoustic performance, blades are an easy-to-install solution. The
	increased surface area of the vertical blades results in greater
	absorption of sound compared to flat panels.
	Find out more about the Benefits of Zintra and its NRC rating on
	the DOWNLOAD tab.
COMPOSITION	Zintra Acoustic Panel - 100% Polyester
SUGGESTED INSTALLATION	Check out the DOWNLOAD tab for a complete Handling and
	Installation guide.
	Be sure to support Blades during installation to avoid bowing or
	creasing.
	Slide Zintra Blades onto Square Tube.
	Fix Square Tube to wall (no screws supplied).



LEAD TIME	4- weeks.
FIRE	Zintra
FIRE RATING	In accordance with ASTM-E84, Zintra™ Acoustic 1/2" Panels
	achieve a Class A Flame Spread - passes CAN ULC S102-10.
ADDITIONAL COMMENTS	NRC - 0.95
	Only available from Zintra Acoustic Panel 12mm.
	Blades includes Square Tube. See images on website for
	hardware detail.
	Multi-colour available for an additional fee.
CARE INSTRUCTIONS	Zintra
ENVIRONMENTAL INFORMATION	Zintra
FINISHES AVAILABLE	Zintra Panel - Matt. Available in all 20 colours.
	Square Tube 25mm x 25mm - Powdercoat Black or White
STANDARD SIZE	SMALL - 1375mm x 1220mm x 114mm
	LARGE - 2745mm x 1220mm x 114mm
INDOOR/OUTDOOR	Indoor only
WET AREAS	No



CUSTOMISABLE	Size - YYes
	Zintra Colour - YYes
	Tube Colour - YYes
	Contact Crown Surface Solutions for details
SUPPLIED AS	Blades - cut to size and design
	Square Tube - notched
	No screws included
FABRICATION	Stanley knife if required

## **CARE INSTRUCTIONS**

Remove spills immediately using damp, clean cloth.

Dab Zintra with a clean, soft white cloth dampened with a mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

Avoid using wax polishes, solvents or concentrated abrasives.

For more difficult stains, dampen a soft white cloth with a solution of household bleach (10% bleach / 90% water). Dab gently. Repeat using only a clean, water dampened cloth to remove bleach concentration, then pat dry with a lint free cloth. If cleaning method is not achieving desired results, cease immediately and contact Crown Surface Solutions.